

# Assembled IP66, UL Type 4X 60mm

Metal  
Limit switches

## 30° Cam translation movement



Stainless steel roller plunger	Lateral plunger with vertical roller	Lateral plunger with horizontal roller	ø 22 Polyamide roller lever	ø 22 Stainless steel roller lever
0.5 16 48	0.5 30 70	0.5 30 70	1.5 12 40	1.5 12 40

9

<b>LS65M13B11</b> \$ 46 0 1.5 3.5 8.4 12.1 mm 21-22 13-14 21-22 13-14	<b>LS65M22B11</b> \$ 47 0 1.6 3.8 9.0 13.0 mm 21-22 13-14 21-22 13-14	<b>LS65M23B11</b> \$ 47 0 1.6 3.8 9.0 13.0 mm 21-22 13-14 21-22 13-14	<b>LS65M31B11</b> \$ 44 0 1.9 4.6 10.9 15.8 mm 21-22 13-14 21-22 13-14	<b>LS65M32B11</b> \$ 51 0 1.9 4.6 10.9 15.8 mm 21-22 13-14 21-22 13-14
<b>LS65M13D11</b> 49 0 3.5 6.8 15.2 mm 21-22 13-14 6.3	<b>LS65M22D11</b> 50 0 4.2 8.1 18.1 mm 21-22 13-14 7.5	<b>LS65M23D11</b> 50 0 4.2 8.1 18.1 mm 21-22 13-14 7.5	<b>LS65M31D11</b> 47 0 3.0 5.8 13.0 mm 21-22 13-14 5.4	<b>LS65M32D11</b> 55 0 3.0 5.8 13.0 mm 21-22 13-14 5.4
<b>LS65M13C11</b> 51 0 6.1 9.3 15.2 mm 21-22 13-14 3.5	<b>LS65M22C11</b> 52 0 7.2 11.1 18.1 mm 21-22 13-14 4.2	<b>LS65M23C11</b> 52 0 7.2 11.1 18.1 mm 21-22 13-14 4.2	<b>LS65M31C11</b> 49 0 5.2 8.0 13.0 mm 21-22 13-14 3.0	<b>LS65M32C11</b> 57 0 5.2 8.0 13.0 mm 21-22 13-14 3.0
<b>LS65M13L02</b> 51 0 3.0 6.3 15.2 mm 11-12 21-22	<b>LS65M22L02</b> 52 0 3.6 7.5 18.1 mm 11-12 21-22	<b>LS65M23L02</b> 52 0 3.6 7.5 18.1 mm 11-12 21-22	<b>LS65M31L02</b> 49 0 2.6 5.4 13.0 mm 11-12 21-22	<b>LS65M32L02</b> 57 0 2.6 5.4 13.0 mm 11-12 21-22
<b>LS65M13L20</b> 51 0 3.0 15.2 mm 13-14 23-24	<b>LS65M22L20</b> 52 0 3.6 18.1 mm 13-14 23-24	<b>LS65M23L20</b> 52 0 3.6 18.1 mm 13-14 23-24	<b>LS65M31L20</b> 49 0 2.6 13.0 mm 13-14 23-24	<b>LS65M32L20</b> 57 0 2.6 13.0 mm 13-14 23-24
<b>LS65M13B02</b> 51 0 1.5 3.5 8.4 12.1 mm 11-12 21-22 11-12 21-22	<b>LS65M22B02</b> 52 0 1.6 3.8 9.0 13.0 mm 11-12 21-22 11-12 21-22	<b>LS65M23B02</b> 52 0 1.6 3.8 9.0 13.0 mm 11-12 21-22 11-12 21-22	<b>LS65M31B02</b> 49 0 1.9 4.6 10.9 15.8 mm 11-12 21-22 11-12 21-22	<b>LS65M32B02</b> 57 0 1.9 4.6 10.9 15.8 mm 11-12 21-22 11-12 21-22
0.270	0.280	0.280	0.290	0.300

## Dimensions (mm)

